



VACCINATION CARD

CARTE DE VACCINATION

Number and health facility
Numéro et structure de santé

Name / Nom

Sex / Sexe

M

F

Birth date / Date de naissance

Address / Adresse

Doses		Schedule / Calendrier	Date	Batch Nr N° de lot
BCG		Birth (as soon as possible max 12 months) Naissance (le plus tôt possible max 12 mois)		
Hepatitis B / Hépatite B Monovalent	0	Birth (as soon as possible) ¹ Naissance (le plus tôt possible) ²		
Polio Oral (OPV / VPO)	0	Birth (as soon as possible max 2 weeks) Naissance (le plus tôt possible max 2 sem.)		
Polio Oral (OPV / VPO)	1	From 6 weeks (min 4 weeks after OPV 0) A partir de 6 sem. (min 4 sem. après VPO 0)		
Polio Oral (OPV / VPO)	2	Minimum 4 weeks after OPV 1 Minimum 4 sem. après VPO 1		
Polio Oral (OPV / VPO)	3	Minimum 4 weeks after OPV 2 Minimum 4 sem. après VPO 2		
Polio Oral (OPV / VPO) booster / rappel		According to schedule Selon calendrier		
Polio injectable (IPV / VPI)		According to schedule Selon calendrier		
DPT/HepB/Hib - DTC/HepB/Hib 1		From 6 weeks A partir de 6 sem.		
DPT/HepB/Hib - DTC/HepB/Hib 2		Minimum 4 ³ weeks after DPT/HepB/Hib 1 Minimum 4 ⁴ sem. après DTC/HepB/Hib 1		
DPT/HepB/Hib - DTC/HepB/Hib 3		Minimum 4 weeks ⁵ after DPT/HepB/Hib 2 Minimum 4 sem. ⁶ après DTC/HepB/Hib 2		
DPT/HepB/Hib - DTC/HepB/Hib booster / rappel		According to schedule (maximum 6 years) Selon calendrier (maximum 6 ans)		
Pneumococcus conj. vaccine Vaccin pneumocoque conjugué	1	From 6 weeks A partir de 6 sem.		
Pneumococcus conj. vaccine Vaccin pneumocoque conjugué	2	According to schedule Selon calendrier		
Pneumococcus conj. vaccine Vaccin pneumocoque conjugué	3	According to schedule Selon calendrier		
Rotavirus 1		According to schedule Selon calendrier		
Rotavirus 2		According to schedule Selon calendrier		
Rotavirus 3		According to schedule Selon calendrier		
Measles containing vaccine Vaccin contenant la rougeole	0	From 6 months (in specific context) A partir de 6 mois (contextes spécifiques)		
Measles containing vaccine Vaccin contenant la rougeole	1	From 9 months (min 4 weeks after MCV 0) A partir de 9 mois (min 4 sem. après VCR 0)		
Measles containing vaccine Vaccin contenant la rougeole	2	Minimum 4 weeks after MCV 1 Minimum 4 sem. après VCR 1		
Yellow fever Fièvre jaune		From 9 months A partir de 9 mois		
Other / Autre: Date:		Other / Autre: Date:	Other / Autre: Date:	
Tetanus Tétanos	Date:	Date:	Date:	Date:
Vitamin A Vitamine A	Date:	Date:	Date:	Date:

1 - and up to the first primary dose [DPT/HepB/Hib 1]

2 - et à tout moment jusqu'à la primovaccination
[DTC/HepB/Hib 1]

3 - 4 to 8 weeks

4 - 4 à 8 semaines

5 - 6 -12 months if DTP/HepB/Hib 1 > 11 months

6 - 6 -12 mois si DTC/HepB/Hib 1 > 11 mois