

**ESUFOPCX40** [6]

PIN Xcaliber cyl., self-drilling, Ø 6/5mm, L 120/40mm 945540
 FICHE Xcaliber cyl., auto-perf., Ø 6/5mm, L 120/40mm 945540

ESUFOPCXD50 [6]

PIN Xcaliber cyl., self-drilling, Ø 6/5mm, L 150/50mm 944550
 FICHE Xcaliber cyl., auto-perf., Ø 6/5mm, L 150/50mm 944550

ESUFOPCXE50 [6]

PIN Xcaliber cyl., self-drilling, Ø 6/5mm, L 180/50mm 941550
 FICHE Xcaliber cyl., auto-perf., Ø 6/5mm, L 180/50mm 941550

ESUFOPCXF60 [6]

PIN Xcaliber cyl., self-drilling, Ø 6/5mm, L 220/60mm 943560
 FICHE Xcaliber cyl., auto-perf., Ø 6/5mm, L 220/60mm 943560

ESUFOPCXI30 [6]

PIN Xcaliber cyl., self-drilling, Ø 6/4mm, L 120/30mm 944430
 FICHE Xcaliber cyl., auto-perf., Ø 6/4mm, L 120/30mm 944430

ESUFOROD115 [4]

ROD, Ø 12mm, L 15 cm 932150
 TUBE, Ø 12mm, L 15 cm 932150

ESUFOROD120 [4]

ROD, Ø 12mm, L 20 cm 932200
 TUBE, Ø 12mm, L 20 cm 932200

ESUFOROD125 [4]

ROD, Ø 12mm, L 25 cm 932250
 TUBE, Ø 12mm, L 25 cm 932250

ESUFOROD130 [2]

ROD, Ø 12mm, L 30 cm 932300
 TUBE, Ø 12mm, L 30 cm 932300

ESUFOROD135 [2]

ROD, Ø 12mm, L 35 cm 932350
 TUBE, Ø 12mm, L 35 cm 932350

**ESUF0CLP01-** [18]

CLAMP, large, for Rod 12mm & Pin 6mm, blue 93010
 MACHOIRE, grande, pr barre 12mm & Fiche 6mm, bleu 93010

**ESUF0DRLM01** [1]

HAND DRILL, with QC 93161
 VILEBREQUIN QC 93161

**ESUFOHEX5--**

[2]

ALLEN WRENCH, 5 mm 30017
 CLÉ hexagonale, 5 mm 30017

**ESUF0SCG10-**

[1]

PIN GUIDE, L 100mm 11103
 GUIDE FICHE, L 100mm 11103

**ESUF0STE01-**

[1]

STERILIZATION BOX, wired, 48x25x6cm, + lid & handles 93990CR
 BOÎTE STÉRILIS. grillagée, 48x25x6cm, + couv&poign. 93990CR

**ESUF0TTR01-**

[1]

TAPERED TROCAR 11004
 TROCART CONIQUE 11004

**ESUF0DRB1--**

[1]

DRILL BIT, Ø 3.2 x 200 mm, Quick Connect 1-1100301
 FORET, Ø 3,2 x 200 mm, Connexion rapide 1-1100301

**ESUF0DRG1--**

[1]

GUIDE for drill, Ø 3.2 mm, L 80 mm 11116
 GUIDE pour foret, Ø 3,2 mm, L 80 mm 11116



ESUFOPIT50-

[1]

TRANSFIX PIN, shaft \varnothing 6mm, thread L50/ \varnothing 7mm, QC 1-93050

FICHE TRANSFIXIANTE, tige \varnothing 6mm, filetage L50/ \varnothing 7mm, 1-93050
